




# by numbers

Giovanni Grazia  
Servizio Sistema Informativo-Informatico Regionale

WorldPloneDay Bologna  
28 aprile 2016

# Dal 2009 ad oggi...



# # Siti



42

37 sulla stessa  
installazione

5 su installazioni  
dedicate

Da 2 a 24 “subsites” per  
portale, in media 10

# # Prodotti utilizzati






224

106 prodotti RER, di cui  
40 temi

27 personalizzazioni  
Internos, di cui 10 RER

# # Redattori



# # Contenuti




300.000+

50.000 contenuti nel  
portale E-R


10.000 contenuti  
presenti in media in  
ciascun portale tematico  
(top 43.000)

# # Contenuti per tipo\*



\*media in ciascun portale tematico

# Infrastruttura





# Open development

GitHub  Explore Features Enterprise Pricing [Sign up](#) [Sign in](#)

PloneGov-IT / rer.portlet.advanced\_static [Watch](#) 8 [Star](#) 1 [Fork](#) 0

[Code](#) [Issues](#) 0 [Pull requests](#) 0 [Pulse](#) [Graphs](#)

## Added target attribute to header and footer links #2

**Merged** cekk merged 1 commit into master from pnicolli\_link\_target 12 days ago

[Conversation](#) 8 [Commits](#) 1 [Files changed](#) 3 +11 -4



pnicolli commented 12 days ago

Added a target attribute to header and footer link, that is equal to "\_blank" when the external link field is used as href.

Added target attribute to header and footer links b793e56

pnicolli added the **enhancement** label 12 days ago

cekk merged commit 9fa3ea8 into master 12 days ago

Labels

**enhancement**

Milestone

No milestone

Assignee

No one assigned

4 participants



jdeyla commented 12 days ago

In order to enhance accessibility, advisory wcag 2 techniques should be used.  
So if you make such automatic change of context (opening a new windows) you must alert users!

PloneGov-IT / rer.portlet.advanced\_static

Watch 8

Star 1

Fork 0

&lt;&gt; Code

Issues 0

Pull requests 0

Pulse

Graphs

## Added target attribute to header and footer links #2

**Merged** cekkk merged 1 commit into master from pnicolli\_link\_target 12 days ago

Conversation 8

Commits 1

Files changed 3

+11 -4



pnicolli commented 12 days ago

Added a target attribute to header and footer link, that is equal to "\_blank" when the external link field is used as href.

Added target attribute to header and footer links

b793e56

 pnicolli added the **enhancement** label 12 days ago

cekkk merged commit 9fa3ea8 into master 12 days ago

Labels

**enhancement**

Milestone

No milestone

Assignee

No one assigned

4 participants



jdeyla commented 12 days ago

In order to enhance accessibility, advisory wcag 2 techniques should be used.  
So if you make such automatic change of context (opening a new windows) you must alert users!  
The user must be in control of his actions, and not everibody wants to open link in new windows.

Follow suggestions of

<https://www.w3.org/TR/WCAG20-TECHS/G201.html>

Please, if you open a link in a \_blank target, give the link a tile like "Opens in a new windon" or "new windows"



keul commented 12 days ago

plus: what about a new configuration option (checkbox) for adding the target attribute (and in that case

## Added target attribute to header and footer links #2

Merged **cekk** merged 1 commit into `master` from `pnicolli_link_target` 12 days ago

Conversation 8

Commits 1

Files changed 3

+11 -4



pnicolli commented 12 days ago

Added a target attribute to header and footer link, that is equal to "\_blank" when the external link field is used as href.

Added target attribute to header and footer links

b793e56

pnicolli added the **enhancement** label 12 days ago

cekk merged commit 9fa3ea8 into `master` 12 days ago

Labels

**enhancement**

Milestone

No milestone

Assignee

No one assigned

4 participants



jdeyla commented 12 days ago

In order to enhance accessibility, advisory wcag 2 techniques should be used.  
So if you make such automatic change of context (opening a new windows) you must alert users!  
The user must be in control of his actions, and not everibody wants to open link in new windows.

Follow suggestions of

<https://www.w3.org/TR/WCAG20-TECHS/G201.html>

Please, if you open a link in a `_blank` target, give the link a tile like "Opens in a new windon" or "new windows"



keul commented 12 days ago

plus: what about a new configuration option (checkbox) for adding the target attribute (and in that case



pnicolli commented 12 days ago

Added a target attribute to header and footer link, that is equal to "\_blank" when the external link field is used as href.



Added target attribute to header and footer links

b793e56



pnicolli added the **enhancement** label 12 days ago



cekk merged commit 9fa3ea8 into master 12 days ago

Labels

**enhancement**

Milestone

No milestone

Assignee

No one assigned

4 participants



jdeyla commented 12 days ago

In order to enhance accessibility, advisory wcag 2 techniques should be used.  
So if you make such automatic change of context (opening a new windows) you must alert users!  
The user must be in control of his actions, and not everibody wants to open link in new windows.

Follow suggestions of

<https://www.w3.org/TR/WCAG20-TECHS/G201.html>

Please, if you open a link in a \_blank target, give the link a tile like "Opens in a new windon" or "new windows"



keul commented 12 days ago

...plus: what about a new configuration option (checkbox) for adding the target attribute (and in that case add also the title)?

I never liked links that open in new windows automatically.



pnicolli commented 12 days ago

Added a target attribute to header and footer link, that is equal to "\_blank" when the external link field is used as href.



Added target attribute to header and footer links

b793e56



pnicolli added the **enhancement** label 12 days ago



cekk merged commit 9fa3ea8 into master 12 days ago

Labels

**enhancement**

Milestone

No milestone

Assignee

No one assigned

4 participants



jdeyla commented 12 days ago

In order to enhance accessibility, advisory wcag 2 techniques should be used.  
So if you make such automatic change of context (opening a new windows) you must alert users!  
The user must be in control of his actions, and not everibody wants to open link in new windows.

Follow suggestions of

<https://www.w3.org/TR/WCAG20-TECHS/G201.html>

Please, if you open a link in a \_blank target, give the link a tile like "Opens in a new windon" or "new windows"



keul commented 12 days ago

...plus: what about a new configuration option (checkbox) for adding the target attribute (and in that case add also the title)?

I never liked links that open in new windows automatically.

### Merge pull request #4 from PloneGov-IT/pnicolli\_target\_option

[Browse files](#)

Added option to open links in new window

master 1.4.0

pnicolli committed 10 days ago

2 parents 8da079f + 5137361 commit 1f233c6aea6f99f910819ff1211dad13d569708f

Showing 6 changed files with 142 additions and 56 deletions.

Unified Split

4 docs/HISTORY.rst

Code View

	@@ -4,8 +4,8 @@	Changelog
4	4	1.3.5 (unreleased)
5	5	-----
6	6	
7	7	-- Nothing changed yet.
8	8	-
	7	+ Added option to open header and footer links in a new window [pnicolli]
	8	+ Added a title attribute to header and footer links for accessibility purposes [pnicolli]
9	9	
10	10	1.3.4 (2016-02-24)
11	11	-----

# Grazie!

@giovannigrazia  
ggrazia@regione.emilia-romagna.it